



IFW

IN THE UNITED STATES  
PATENT AND TRADEMARK OFFICE

PATENT APPLICATION

Leonard

CASE 1

Serial No. 10/674757

Group Art Unit

Filed 9/30/03

Examiner

Title Photo Resist Dispensing System and Method

ASSISTANT COMMISSIONER FOR PATENTS  
WASHINGTON, D.C. 20231

SIR:

**Certificate of Mailing**  
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria Virginia 22313-1450 on 3/16/05.

In response to the restriction requirement of February 25, 2005, Applicant elects Group II, Claims 1-12 with traverse. The restriction must be withdrawn for the following reasons. The examiner bases the restriction on the assumption that the apparatus can be used for spraying water. To the extent the examiner is correct the same is true for the claimed method. Accordingly it is incorrect to assert that the apparatus can be used to practice another materially different process.

The examiner also suggests the fields of search of the two groups of claims are not coextensive. It is urged that the examination would be most comprehensive and thorough if all of the claims were examined based on one comprehensive search. This will assure that the examiner identifies all relevant

For all of the above reasons withdrawal of the restriction requirement is respectfully requested.

If the examiner has any questions regarding this response, the examiner is directed to contact the undersigned at the telephone number provided below.

Respectfully,

*Ferdinand M. Romano*  
Ferdinand M. Romano

Reg No. 32752

Attorney for Applicant

Date: 15 March 2005